


CAPUCINO

Floor 10-12, Bldg I, Central District, Country Garden, No. 129 North Lingnan Ave,
Chancheng District, Foshan City, Guangdong Province, P. R. China 528000

Direct: +86-757-8313 4180

Fax: +86-757-8313 4181

Website: www.capucino.cn




CAPUCINO



APP STONE



COLOR



SIZE





FLOOR:APP STONE **APP6000** 600×600mm 24"×24"



FLOOR:APP STONE **APP6001** 600×600mm 24"×24"



FLOOR :
APP STONE APP6002 600×600mm24"×24"



FLOOR:
APP STONE APP6003 600x600mm24"x24"



FLOOR :
APP STONE
APP6004 600×600mm
24"×24"
WALL :
RAIN
RN601205 600×1200mm
24"×48"



FLOOR :
APP STONE
APP6005 600×600mm
24"×24"



FLOOR :
APP STONE
APP6006 600×600mm
24"×24"


APP STONE



APP6000

600×600mm	24"×24"
800×800mm	32"×32"
450×900mm	18"×36"
600×1200mm	24"×48"


±10mm



APP6001

600×600mm	24"×24"
800×800mm	32"×32"
450×900mm	18"×36"
600×1200mm	24"×48"

±10mm




APP STONE



APP6002

600×600mm	24"×24"
800×800mm	32"×32"
450×900mm	18"×36"
600×1200mm	24"×48"

±10mm



APP6003

600×600mm	24"×24"
800×800mm	32"×32"
450×900mm	18"×36"
600×1200mm	24"×48"

±10mm




APP STONE



APP6004

600×600mm	24"×24"
800×800mm	32"×32"
450×900mm	18"×36"
600×1200mm	24"×48"


±10mm



APP6005

600×600mm	24"×24"
800×800mm	32"×32"
450×900mm	18"×36"
600×1200mm	24"×48"

±10mm



APP STONE




APP6006

600×600mm	24"×24"
800×800mm	32"×32"
450×900mm	18"×36"
600×1200mm	24"×48"

±10mm




SHADE VARIATION



V1

UNIFORM APPEARANCE


Differences among pieces from the same production run are minimal.



V2

SLIGHT VARIATION


Clearly distinguishable texture and/or pattern within similar colors



V3

MODERATE VARIATION

While the colors and/or textures present on a single piece of tile will be indicative of the colors and/or texture to be expected on the other tiles, the amount of colors and/or texture on each piece may vary significantly.














V4

SUBSTANTIAL VARIATION







Random color and/or texture differences from tile to tile, so that one tile may have totally different colors and/or textures from that on other tiles. Thus, the final installation will be unique.

TECHNICAL STANDARD

PHYSICAL - CHEMICAL PROPERTIES	STANDARD TEST METHOD	STANDARD PRESCRIBED VALUES	CAPUCINO VALUES
MEASUREMENT AND SURFACE APPEARANCE			
 LENGTH AND WIDTH	EN ISO 10545-2	±0.6%	±0.1%
 THICKNESS	EN ISO 10545-2	±5%	±3%
PHYSICAL PROPERTIES			
 WATER ABSORPTION	EN ISO 10545-3	≤0.5%	≤0.5%
 RESISTANCE TO ABRASION	EN ISO 10545-6	≤205mm ²	≤160mm ²
 MODULUS OF RUPTURE	EN ISO 10545-4	≥35N/mm ²	≥35N/mm ²
 THERMAL EXPANSION COEFFICIENT	EN ISO 10545-8	≥35N/mm ²	≥35N/mm ²
 TEMPERATURE SHOCK RESISTANCE	EN ISO 10545-9	NO DEFECTS SHOULD BE VISIBLE	DURABLE
 FROST RESISTANCE	EN ISO 10545-12	NO SURFACE DEFECTS OR CRACKS SHOULD BE VISIBLE	ANTI-ICE
 SLIP RESISTANCE	DIN 51130	R9-R13	STRUCTURE SURFACE ≥R11
			MATT SURFACE ≥R10
CHEMICAL PROPERTIES			
 CHEMICAL RESISTANCE RESISTANCE TO HOUSEHOLD CHEMICALS AND SWIMMING POOL SALTS	EN ISO 10545-13	THERE SHOULD BE NO VISIBLE CHANGES WHEN SUBJECTED TO CHEMICALS	DURABLE
 RESISTANCE TO STAINING	EN ISO 10545-14 when subjected to chemicals	THERE SHOULD BE NO VISIBLE CHANGES WHEN SUBJECTED TO CHEMICALS	NO VISIBLE DEFECTS

* Due to the intrinsic nature of porcelain stoneware tiles, please note that the coefficient of friction may vary within the same production lot or from one production lot to the other.

PACKGING

SERIES	Sizes	Thickness	 Pcs/Box	 Mq/Box	 Kg/Box	 Box/Pallet	 Mq/Pallet	 Kg/Pallet
APP STONE	600x600mm	10mm	4	1.44	32	40	57.60	1280
	800x800mm	10mm	4	1.44	32	40	57.60	1280
	450x900mm	10mm	3	1.22	29.55	29	36	857
	600x1200mm	10mm	2	1.44	37.5	27	39	1013

* Weight per pallet does not include pallet weight itself.
All other sizes will be packaged as ordered.